

# HEALTHY CARROLL VITAL SIGNS: Measures of Community Health ELDER HEALTH Data Charts

Updated June 2010


1. In-Home Safety: Hip Fractures
2. Cardiovascular Health: Congestive Heart Failure
3. Cardiovascular Health: Awareness
4. Motor Vehicle Safety: Seat Belt Compliance
5. Health Care Planning: Advance Directives
6. Flu immunization



# ELDER HEALTH

Admissions for patients aged 65+ with a primary diagnosis of hip fracture (Carroll County home address, all hospitals)

**Improvement Objective: 450 or less per 100,000**




SOURCE: Carroll Hospital Center (citing Market Share Analyst)

## ELDER HEALTH

Admissions for patients aged 65+ with a primary diagnosis of congestive heart failure (Carroll County home address, all hospitals)

Improvement Objective: 15 per 1,000 or less



SOURCE: Carroll Hospital Center (citing Market Share Analyst)

## ELDER HEALTH

**Percentage of adults who are aware of the early warning symptoms and signs of a stroke and the importance of accessing emergency care by calling 911.**


**Improvement Objective: 83%**

*Baseline data collection planned for FY 2011*

## ELDER HEALTH

Percentage of drivers aged 65+ involved in a crash who reported they were wearing a seat belt

Improvement Objective: 92%




NOTE: Data from the 2008 EH Needs Assessment indicates that actual seat belt compliance rates may be lower.  
86% reported that they wear a seat belt when driving; 52% wear a seat belt when a passenger.

DATA SOURCE: Maryland Crash Outcome Data Evaluation System (CODES)

## ELDER HEALTH

Percentage of patients admitted to Carroll Hospital Center who reported that they have an advance directive

**Improvement Objective: 75%**




DATA SOURCE: Carroll Hospital Center

# ELDER HEALTH

Percentage of Adults Age 65+ Who Received a Flu Vaccination in the Past Year

**Improvement Objective: 90%**



DATA SOURCE: Carroll Hospital Center